A European Journal

TM&IH

Tropical Medicine & International Health

Volume 11, 2006

Blackwell Publishing

© 2006 Blackwell Publishing Ltd

ALL RIGHTS RESERVED. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior permission of the copyright owner. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Publishing Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA, 1360–2276/05 $15. (For copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor.

Blackwell Publishing Ltd: 9600 Garsington Road, Oxford OX4 2DQ, UK
Blackwell Publishing, Inc.: Commerce Place, 350 Main Street, Malden, Massachusetts 02148-5018, USA
Blackwell Publishing Professional: 2121 State Avenue, Ames, IA 50014-8300, USA
Blackwell Publishing Asia: 550 Swanston Street, Carlton South, Victori 3053, Australia
Blackwell Verlag: Kurfürstendamm 58, 10707 Berlin, Germany
Blackwell Munksgaard: 1 Rosenørns Allé, DK-1970 Frederiksberg, Denmark
Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office: GS Chiyoda Building, 5F, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan

TM & IH

Tropical Medicine & International Health

Volume 11

Contents

Issue 1, January 2006

1 Editorial: The growth of *Tropical Medicine and International Health*: a developing-country perspective *F. Binka*

3 A cluster randomized-controlled trial to determine the effectiveness of Stepping Stones in preventing HIV infections and promoting safer sexual behaviour amongst youth in the rural Eastern Cape, South Africa: trial design, methods and baseline findings *R. Jewkes, M. Nduna, J. Levin, N. Jama, K. Dunkle, N. Khuzwayo, M. Koss, A. Puren, K. Wood and N. Duvvury*

17 Short communication: Strengthening sub-national communicable disease surveillance in a remote Pacific Island country by adapting a successful African outbreak surveillance model *T. Nelesone, D.N. Durrheim, R. Speare, T. Kiedrzynski and W.D. Melrose*

22 Clinical predictors of in-hospital mortality in patients with snake bite: a retrospective study from a rural hospital in central India *S. Kalantri, A. Singh, R. Joshi, S. Malamba, C. Ho, J. Ezoua and M. Morgan*

31 Field validity, reproducibility and feasibility of diagnostic tests for visceral leishmaniasis in rural Nepal *F. Chappuis, S. Rijal, U.K. Jha, P. Desjeux, B.M.S. Karki, S. Koirala, L. Loutan and M. Boelaert*

41 Sero-epidemiological study of kala-azar in a village of Varanasi district, India *R. Kumar, K. Pai, P. Kumar, H.P. Pandey and S. Sundar*

49 Evaluation of three rapid diagnostic tests for cholera: does the skill level of the technician matter? *P. Kalluri, A. Naheed, S. Rahman, M. Ansaruzzaman, A.S.G. Faruque, M. Bird, F. Khatun, N.A. Bhuiyan, F. Nato, J.-M. Fournier, C. Bopp, R.F. Breiman, G.B. Nair and E.D. Mintz*

56 Synergistic associations between hookworm and other helminth species in a rural community in Brazil *F.M. Fleming, S. Brooker, S.M. Geiger, I.R. Caldas, R. Correa-Oliveira, P.J. Hotez and J.M. Bethony*

65 *Taenia solium* taeniasis and cysticercosis in three communities in north Vietnam *R. Somers, P. Dorny, V.K. Nguyen, T.C.T. Dang, B. Goddeeris, P.S. Craig and J. Vercruysse*

73 Modèle pronostique simplifié d'évaluation de la mortalité intra hospitalière globale des enfants en Afrique centrale *R. Bitwe, M. Dramaix et P. Hennart*

81 Choosing between public and private or between hospital and primary care: responsiveness, patient-centredness and prescribing patterns in outpatient consultations in Bangkok *Y. Pongsupap and W.V. Lerberghe*

90 Domestic violence as risk factor for unwanted pregnancy and induced abortion in Mulago Hospital, Kampala, Uganda *D.K. Kaye, F.M. Mirembe, G. Bantebya, A. Johansson and A.M. Ekstrom*

102 Review of the Minimus Complex of *Anopheles*, main malaria vector in Southeast Asia: from taxonomic issues to vector control strategies *C. Garros, W. Van Bortel, H.D. Trung, M. Coosemans and S. Manguin*

115 Severe malaria in children in areas with low, moderate and high transmission intensity in Uganda *R. Idro, J. Aloyo, L. Mayende, E. Bitarakwate, C.C. John and G.W. Kivumbi*

Issue 2, February 2006

125 Editorial: Global elimination of lymphatic filariasis: fact or fantasy? *J.O. Gyapong and N.A.Y. Twum-Danso*

129 Short communication: Negative spatial association between lymphatic filariasis and malaria in West Africa *L.A. Kelly-Hope, P.J. Diggle, B.S. Rowlingson, J.O. Gyapong, D. Kyelem, M. Coleman, M.C. Thomson, V. Obsomer, S.W. Lindsay, J. Hemingway and D.H. Molyneux*

136 L'impact de la guerre sur l'evolution de la THA dans le centre-ouest de la cote d'ivoire *D. Kaba, N.N. Dje, F. Courtin, E. Oke, M. Koffi, A. Garcia, V. Jamonneau et P. Solano*

144 Drug-resistance of *Trypanosoma b. rhodesiense* isolates from Tanzania *S.N. Kibona, L. Matemba, J.S. Kaboya and G.W. Lubega*

156 Clinical value of anti-live *Leishmania (Viannia) braziliensis* immunoglobulin G subclasses, detected by flow cytometry, for diagnosing active localized cutaneous leishmaniasis *R.D.R. Rocha, C.M.F. Gontijo, S.M. Elói-Santos, A. Teixeira-Carvalho, R. Corrêa-Oliveira, T.C.A. Ferrari, M.J. Marques, W. Mayrink and O.A. Martins-Filho*

167 Accessibility of diagnostic and treatment centres for visceral leishmaniasis in Gedaref State, northern Sudan *S. Gerstl, R. Amsalu and K. Ritmeijer*

176 Condom use after voluntary counselling and testing in Central Mozambique *O.D. Mola, M.A. Mercer, R.J. Asghar, K.H. Gimbel-Sherr, S. Gimbel-Sherr, M.A. Micek and S.S. Gloyd*

182 Differences in fertility by HIV serostatus and adjusted HIV prevalence data from an antenatal clinic in northern Uganda *M. Fabiani, B. Nattabi, E.O. Ayella, M. Ogwang and S. Declich*

188 Modelling distances travelled to government health services in Kenya *A.M. Noor, A.A. Amin, P.W. Gething, P.M. Atkinson, S.I. Hay and R.W. Snow*

197 Isolation of a *Plasmodium vivax* refractory *Anopheles culicifacies* strain from India *T. Adak, O.P. Singh, N. Nanda, V.P. Sharma and S.K. Subbarao*

204 Urban malaria in the Sahel: prevalence and seasonality of presumptive malaria and parasitaemia at primary care level in Chad *N. Othnigué, K. Wyss, M. Tanner and B. Genton*

211 *In vivo* sensitivity monitoring of mefloquine monotherapy and artesunate–mefloquine combinations for the treatment of uncomplicated falciparum malaria in Thailand in 2003 *S. Vijaykadga, C. Rojanawatsirivej, S. Cholpol, D. Phoungmanee, A. Nakavej and C. Wongsrichanalai*

220 Distance to water source and altitude in relation to active trachoma in Rombo district, Tanzania *R.F. Baggaley, A.W. Solomon, H. Kuper, S. Polack, P.A. Massae, J. Kelly, S. Safari, N.D.E. Alexander, P. Courtright, A. Foster and D.C. Mabey*

228 Financial implications of skilled attendance at delivery in Nepal *J. Borghi, T. Ensor, B.D. Neupane and S. Tiwari*

238 Determinants of skilled birth attendance in rural Cambodia *S. Yanagisawa, S. Oum and S. Wakai*

252 Letter to the editors *John E. Gimnig*

Issue 3, March 2006

255 Editorial: Can global health be good business? *J. Lister*

258 Handwashing and risk of respiratory infections: a quantitative systematic review *T. Rabie and V. Curtis*

268 Treatment of Leprosy: science or politics? *B. Naafs*

279 Predicting the clinical outcome of tetanus: the tetanus severity score *C.L. Thwaites, L.M. Yen, C. Glover, P.Q. Tuan, N.T.N. Nga, J. Parry, H.T. Loan, D. Bethell, N.P.J. Day, N.J. White, N. Soni and J.J. Farrar*

288 Long-term study of Japanese encephalitis virus infection in Anopheles subpictus in Cuddalore district, Tamil Nadu, South India *V. Thenmozhi, R. Rajendran, K. Ayanar, R. Manavalan and B.K. Tyagi*

294 Short communication: *Trypanosoma cruzi* lineage I in endomyocardial biopsy from a north-eastern Brazilian patient at end-stage chronic chagasic cardiomyopathy *M.M.G. Teixeira, F.M. Silva, A. Marcili, E.S. Umezawa, M.A. Shikanai-Yasuda, E. Cunha-Neto, J. Kalil, N. Stolf and A.M.S. Stolf*

299 Fever treatment and household wealth: the challenge posed for rolling out combination therapy for malaria *J.D. Njau, C. Goodman, S.P. Kachur, N. Palmer, R.A. Khatib, S. Abdulla, A. Mills and P. Bloland*

314 Can malaria be controlled where basic health services are not used? *J.-P. Unger, U. d'Alessandro, P. De Paepe and A. Green*

323 Clinical guidelines to diagnose smear-negative pulmonary tuberculosis in Pakistan, a country with low HIV prevalence *K. Siddiqi, J. Walley, M.A. Khan, K. Shah and N. Safdar*

332 Early determination of the reproductive number for vector-borne diseases: the case of dengue in Brazil *C. Favier, N. Degallier, M.G. Rosa-Freitas, J.P. Boulanger, J.R. Costa Lima, J.F. Luitgards-Moura, C. Eugène Menkès, B. Mondet, C. Oliveira, E.T.S. Weimann and P. Tsouris*

341 Improved knowledge and practices among end-users of mother-to-child transmission of HIV prevention services in rural Zimbabwe *J. Orne-Gliemann, T. Mukotekwa, F. Perez, A. Miller, C. Sakarovitch, M. Glenshaw, B. Engelsmann and F. Dabis*

350 Factors predicting uptake of voluntary counselling and testing in a real-life setting in a mother-and-child center in Ouagadougou, Burkina Faso *S. Pignatelli, J. Simpore, V. Pietra, L. Ouedraogo, G. Conombo, N. Saleri, C. Pizzocolo, G. De Iaco, F. Tall, A. Ouiminga, G. Carosi and F. Castelli*

358 Serotype distribution and antibiotic susceptibility of invasive and nasopharyngeal isolates of *Streptococcus pneumoniae* among children in rural Mozambique *X. Vallès, B. Flannery, A. Roca, I. Mandomando, B. Sigaúque, S. Sanz, A. Schuchat, M. Levine, M. Soriano-Gabarró and P. Alonso*

367 The spectrum of hypoxaemia in children admitted to hospital in The Gambia, West Africa *S. Junge, A. Palmer, B.M. Greenwood, E. Kim Mulholland and M.W. Weber*

373 Community incidences of respiratory infections in an actively followed cohort of children <1 year of age in Manhiça, a rural area of southern Mozambique *A. Roca, L. Quintó, F. Saúte, R. Thompson, J.J. Aponte and P.L. Alonso*

381 Letter to the editors: The burden of neonatal jaundice and sepsis in developing countries *B.O. Olusanya*

Issue 4, April 2006

383 Editorial: Developing drugs for neglected diseases *N.J. White*

385 Boosting innovation for neglected disease

386 The effect of *Plasmodium falciparum* on cognition: a systematic review *M. Kihara, J.A. Carter and C.R.J.C. Newton*

398 Operational response to malaria epidemics: are rapid diagnostic tests cost-effective? *E. Rolland, F. Checchi, L. Pinoges, S. Balkan, J.-P. Guthmann and P.J. Guerin*

409 Reaching the Abuja target for intermittent preventive treatment of malaria in pregnancy in African women: a review of progress and operational challenges *J. Hill and P. Kazembe*

419 Malaria prevention in The Gambia: patterns of expenditure and determinants of demand at the household level *V. Wiseman, B. McElroy, L. Conteh and W. Stevens*

432 Microscopy and outpatient malaria case management among older children and adults in Kenya *D. Zurovac, B. Midia, S.A. Ochola, M. English and R.W. Snow*

441 Prevalence of malaria parasitemia among clients seeking treatment for fever or malaria at drug stores in rural Tanzania 2004 *S. Patrick Kachur, J. Schulden, C.A. Goodman, H. Kassala, B.F. Elling, R.A. Khatib, L.M. Causer, S. Mkikima, S. Abdulla and P.B. Bloland*

452 The costs of changing national policy: lessons from malaria treatment policy guidelines in Tanzania *J.-A. Mulligan, R. Mandike, N. Palmer, H. Williams, S. Abdulla, P. Bloland and A. Mills*

462 Prevention of malaria during pregnancy in West Africa: policy change and the power of subregional action *R.D. Newman, A.C. Moran, K. Kayentao, E. Benga-De, M. Yameogo, O. Gaye, O. Faye, Y. Lo, P.M. Moreira, O. Doumbo, M.E. Parise and R.W. Steketee*

470 Validité, coût et faisabilité de la mAECT et CTC comme tests de confirmation dans la détection de la Trypanosomiase Humaine Africaine *P. Lutumba, J. Robays, C. Miaka, V. Kande, D. Mumba, P. Büscher, B. Dujardin et M. Boelaert*

479 Combining drinking water treatment and hand washing for diarrhoea prevention, a cluster randomised controlled trial *S.P. Luby, M. Agboatwalla, J. Painter, A. Altaf, W. Billhimer, B. Keswick and R.M. Hoekstra*

490 Bayesian spatial analysis and disease mapping: tools to enhance planning and implementation of a schistosomiasis control programme in Tanzania *A.C.A. Clements, N.J.S. Lwambo, L. Blair, U. Nyandindi, G. Kaatano, S. Kinung'hi, J.P. Webster, A. Fenwick and S. Brooker*

504 Ultrasound patterns and frequency of focal liver lesions after successful treatment of amoebic liver abscess *J. Blessmann, N.D. Khoa, L.V. An and E. Tannich*

509 Unseen Kala-azar deaths in south Sudan (1999–2002) *S.M. Collin, P.G. Coleman, K. Ritmeijer and R.N. Davidson*

513 Relationship between expressed HIV/AIDS-related stigma and HIV-beliefs/knowledge and behaviour in families of HIV infected children in Kenya *M. Hamra, M.W. Ross, M. Orrs and A. D'Agostino*

528 Comparison of family reporting of pregnancy status with a *post-mortem* β-HCG test in deceased women: a study in Pointe-Noire, Congo *S. Le Coeur, C. Ronsmans, G. Halembokaka, C. Augereau-Vacher and M. Khlat*

532 Trend and causes of neonatal mortality in the Kassena–Nankana district of northern Ghana, 1995–2002 *F. Baiden, A. Hodgson, M. Adjuik, P. Adongo, B. Ayaga and F. Binka*

540 Analysis of deaths with an unknown cause in epidemiologic analyses of mortality burden *A.K. Rowe*

551 Are intestinal helminths risk factors for developing active tuberculosis? *D. Elias, G. Mengistu, H. Akuffo and S. Britton*

559 Antenatal rubella serosurvey in Maputo, Mozambique *J. Barreto, I. Sacramento, S.E. Robertson, J. Langa, E. de Gourville, L. Wolfson and B.D. Schoub*

Issue 5, May 2006

565 Editorial: Health of nomadic pastoralists: new approaches towards equity effectiveness *J. Zinsstag, M. Ould Taleb and P.S. Craig*

569 Comparative efficacy of chloroquine and sulphadoxine – pyrimethamine in pregnant women and children: a meta-analysis *G.C. Kalanda, J. Hill, F.H. Verhoeff and B.J. Brabin*

578 Urban malaria and anaemia in children: a cross-sectional survey in two cities of Ghana *E. Klinkenberg, P.J. McCall, M.D. Wilson, A.O. Akoto, F.P. Amerasinghe, I. Bates, F.H. Verhoeff, G. Barnish and M.J. Donnelly*

589 Tolerability of amodiaquine and sulphadoxine-pyrimethamine, alone or in combination for the treatment of uncomplicated *Plasmodium falciparum* malaria in Rwandan adults *C.I. Fanello, C. Karema, W. Doren, C.E. Rwagacondo and U. D'Alessandro*

597 The indoor use of plastic sheeting pre-impregnated with insecticide for control of malaria vectors *A. Diabate, F. Chandre, M. Rowland, R. N'guessan, S. Duchon, K.R. Dabire and J.-M. Hougard*

604 The efficacy of sulfadoxine–pyrimethamine alone and in combination with chloroquine for malaria treatment in rural Eastern Sudan: the interrelation between resistance, age and gametocytogenesis *I.E. A-Elbasit, M.I. Elbashir, I.F. Khalil, M. Alifrangis and H.A. Giha*

613 Seasonal variation and high multiplicity of first *Plasmodium falciparum* infections in children from a holoendemic area in Ghana, West Africa *R. Kobbe, R. Neuhoff, F. Marks, S. Adjei, I. Langefeld, C. von Reden, O. Adjei, C.G. Meyer and J. May*

620 Detection of trypanosome-specific antibodies in saliva, towards non-invasive serological diagnosis of sleeping sickness *V. Lejon, V. Jamonneau, P. Solano, P. Atchade, D. Mumba, N. Nkoy, N. Bébronne, T. Kibonja, F. Balharbi, A. Wierckx, M. Boelaert and P. Büscher*

628 Are maternal re-infections with *Trypanosoma cruzi* associated with higher morbidity and mortality of congenital Chagas disease? *F. Torrico, C.A. Vega, E. Suarez, T. Tellez, L. Brutus, P. Rodriguez, M.-C. Torrico, D. Schneider, C. Truyens and Y. Carlier*

636 The elimination of *Trypanosoma brucei gambiense* sleeping sickness in the focus of Luba, Bioko Island, Equatorial Guinea *P.P. Simarro, J.R. Franco, P. Ndongo, E. Nguema, F.J. Louis and J. Jannin*

647 Comparison of cytokine plasma levels in human African trypanosomiasis *D. Courti, V. Jamonneau, J.-F. Mathieu, M. Koffi, J. Milet, C.S. Yeminanga, V.K.B. Kumeso, G. Cuny, C.M.M. Bilengue and A. Garcia*

654 Management of mutual health organizations in Ghana *R. Baltussen, E. Bruce, G. Rhodes, S.A. Narh-Bana and I. Agyepong*

660 The burden of disease in Zimbabwe in 1997 as measured by disability-adjusted life years lost *G. Chapman, K.S. Hansen, J. Jelsma, C. Ndhlovu, B. Piotti, J. Byskov and T. Vos*

672 La qualité de prise en charge des urgences obstétricales dans les maternités de référence au Bénin: Le point de vue des «Echappées Belles» et leurs attentes *J. Saizonou, I. Godin, E.M. Ouendo, R. Zerbo and B. Dujardin*

681 Validity of verbal autopsy procedures for determining cause of death in Tanzania *P.W. Setel, D.R. Whiting, Y. Hemed, D. Chandramohan, L.J. Wolfson, K.G.M.M. Alberti and A.D. Lopez*

697 Voluntary HIV counselling and testing acceptance among women experiencing unsafe abortion – an example of integrating HIV prevention into reproductive health services *V. Rasch, F. Yambesi and S. Massawe*

705 No difference in HIV incidence and sexual behaviour between out-migrants and residents in rural Manicaland, Zimbabwe *C. Mundandi, D. Vissers, H. Voeten, D. Habbema and S. Gregson*

712 Impact of chronic lymphatic filariasis on quantity and quality of productive work among weavers in an endemic village from India *B.V. Babu, B.K. Swain and K. Rath*

718 Model-based analysis of trial data: microfilaria and worm-productivity loss after diethylcarbamazine–albendazole or ivermectin–albendazole combination therapy against *Wuchereria bancrofti* *M.E.A. de Kraker, W.A. Stolk, G.J. van Oortmarssen and J.D.F. Habbema*

729 Circumsporozoite protein gene diversity among temperate and tropical *Plasmodium vivax* isolates from Iran *S. Zakeri, A. Abouie, N.D. Djadid and G. Snounou*

738 Seroepidemiology of leptospirosis in southern Vietnamese children *K.T.D. Thai, T.Q. Binh, P.T. Giao, H.L. Phuong, L.Q. Hung, N.V. Nam, T.T. Nga, M.G.A. Goris and P.J. de Vries*

746 Risk of introduction of poliovirus into a Dutch Cape Verdian community during an outbreak of poliovirus in Cape Verde, 2000 *P.L.J.M. Mertens, M.-A. Widdowson, H.G.A.M. van der Avoort and J.H. Richardus*

751 Intersections of 'sanitation, sexual coercion and girls' safety in schools' *N. Abrahams, S. Mathews and P. Ramela*

757 The economic impact of visceral leishmaniasis on households in Bangladesh *D. Anoopa Sharma, C. Bern, B. Varghese, R. Chowdhury, R. Haque, M. Ali, J. Amann, I.B. Ahluwalia, Y. Wagatsuma, R.F. Breiman, J.H. Maguire and D.A. McFarland*

765 Practical Approach to Lung Health in Nepal: better prescribing and reduction of cost *N. Shrestha, K.C. Samir, R. Baltussen, K.K. Kafle, D. Bishai and L. Niessen*

Issue 6, June 2006

773 Editorial: 100 years of epidemic meningitis in West Africa – has anything changed? *B. Greenwood*

781 Potential of environmental models to predict meningitis epidemics in Africa *M.C. Thomson, A.M. Molesworth, M.H. Djingarey, K.R. Yameogo, F. Belanger and L.E. Cuevas*

789 Chloroquine or amodiaquine combined with sulfadoxine–pyrimethamine for uncomplicated malaria: a systematic review *J. Hwang, E. Bitarakwate, M. Pai, A. Reingold, P.J. Rosenthal and G. Dorsey*

800 Impact of chloroquine on viral load in breast milk *K. Semrau, L. Kuhn, P. Kasonde, M. Sinkala, C. Kankasa, E. Shutes, C. Vwalika, M. Ghosh, G. Aldrovandi and D.M. Thea*

804 Resistance to sulphadrug-based antifolate therapy in malaria: are we looking in the right place? *J.J. Platteeuw*

809 Automated detection of malaria pigment: feasibility for malaria diagnosing in an area with seasonal malaria in northern Namibia *A.J. de Langen, J. van Dillen, P. de Witte, S. Mucheto, N. Nagelkerke and P. Kager*

817 Stronger host response per parasitized erythrocyte in *Plasmodium vivax* or *ovale* than in *Plasmodium falciparum* malaria *C.J. Hemmer, F.G.E. Holst, P. Kern, C.B. Chiwakata, M. Dietrich and E.C. Reisinger*

Rolling out insecticide treated nets in Eritrea: examining the determinants of possession and use in malarious zones during the rainy season *K. Macintyre, J. Keating, Y.B. Okbaldt, M. Zerom, S. Sosler, T. Ghebremeskel and T.P. Eisele*

834 Concurrent comparison of three water contact measurement tools in four endemic villages of the Philippines. The schistosomiasis transmission ecology in the Philippines project (STEP) *G. Payne, H. Carabin, V. Tallo, P. Alday, R. Gonzalez, L. Joseph, R. Olveda and S.T. McGarvey*

843 Unabated schistosomiasis transmission in Erinle River Dam, Osun State, Nigeria: evidence of neglect of environmental effects of development projects *S.O. Oladejo and I.E. Ofoezie*

851 Community-based study to assess the efficacy of DEC plus ALB against DEC alone on bancroftian filarial infection in endemic areas in Tamil Nadu, south India *R. Rajendran, I.P. Sunish, T.R. Mani, A. Munirathinam, N. Arunachalam, K. Satyanarayana and A.P. Dash*

862 Participation in three consecutive mass drug administrations in Leogane, Haiti *E. Mathieu, A.N. Direny, M.B. de Rochars, T.G. Streit, D.G. Addiss and P.J. Lammie*

869 Acute undifferentiated fever in Binh Thuan province, Vietnam: imprecise clinical diagnosis and irrational pharmaco-therapy *H.L. Phuong, P.J. de Vries, N. Nagelkerke, P.T. Giao, L.Q. Hung, T.Q. Binh, T.T.T. Nga, N.V. Nam and P.A. Kager*

880 Hospital and community surveys reveal the severe public health problem and socio-economic impact of human echinococcosis in Ningxia Hui Autonomous Region, China *Y.R. Yang, G.M. Williams, P.S. Craig, T. Sun, S.K. Yang, L. Cheng, D.A. Vuitton, P. Giraudoux, X. Li, S. Hu, X. Liu, X. Pan and D.P. McManus*

889 Can a comprehensive voucher programme prompt changes in doctors' knowledge, attitudes and practices related to sexual and reproductive health care for adolescents? A case study from Latin America *L.E. Meuwissen, A.C. Gorter, A.D.M. Kester and J.A. Knottnerus*

899 Serious underreporting of visceral leishmaniasis through passive case reporting in Bihar, India *S.P. Singh, D.C.S. Reddy, M. Rai and S. Sundar*

906 Estimation of the cost of *Taenia solium* cysticercosis in Eastern Cape Province, South Africa *H. Carabin, R.C. Krecek, L.D. Cowan, L. Michael, H. Foyaca-Sibat, T. Nash and A.L. Willingham*

917 Antenatal clinic-based HIV prevalence in Zambia: Declining trends but sharp local contrasts in young women *I.F. Sandøy, G. Kvåle, C. Michelo and K. Fylkesnes*

929 Cryptosporidiose humaine et espèces en cause en Haïti *C.P. Raccurt, P. Brasseur, R.I. Verdier, X. Li, E. Eyma, C.P. Stockman, P. Agnamey, K. Guyot, A. Totet, B. Liautaud, G. Nevez, E. Dei-Cas and J.W. Pape*

935 High seroprevalence of antibodies against dengue virus in a prospective study of schoolchildren in Managua, Nicaragua *A. Balmaseda, S.N. Hammond, Y. Tellez, L. Imhoff, Y. Rodriguez, S.I. Saborío, J.C. Mercado, L. Perez, E. Videa, E. Almanza, G. Kuan, M. Reyes, L. Saenz, J.J. Amador and E. Harris*

943 Subarachnoidal and intraventricular human neurocysticercosis: application of an antigen detection assay for the diagnosis and follow-up *R.J. Bobes, M. Hernández, C. Márquez, G. Fragoso, E. García, R.M.E. Parkhouse, L.J.S. Harrison, E. Sciutto and A. Fleury*

951 Prevalence and screening costs of hepatitis C virus among Ugandan blood donors *W. Hladik, P. Kataaha, J. Mermin, M. Purdy, G. Otekat, E. Lackritz, M.J. Alter and R. Downing*

955 Process evaluation of the Senegal-Community Nutrition Project: an adequacy assessment of a large scale urban project *A. Gartner, B. Maire, Y. Kameli, P. Traissac and F. Delpeuch*

967 Negotiating improved case management of childhood illness with formal and informal private practitioners in Uganda *Y. Tawfik, J. Nsungwa-Sabitii, G. Greer, J. Owor, R. Kesande and S. Prysor-Jones*

Issue 7, July 2006

975 Editorial: Popular concerns about medical research projects in sub-Saharan Africa – a critical voice in debates about medical research ethics *P.W. Geissler and R. Pool*

983 Review: Intermittent preventive treatment – a new approach to the prevention of malaria in children in areas with seasonal malaria transmission *B. Greenwood*

992 A randomized, placebo-controlled trial of intermittent preventive treatment with sulphadoxine–pyrimethamine in Gambian multigravidae *A. Mbaye, K. Richardson, B. Balajo, S. Dunyo, C. Shulman, P. Milligan, B. Greenwood and G. Walraven*

1003 Feasibility and acceptability of the use of artemether-lumefantrine in the home management of uncomplicated malaria in children 6–59 months old in Ghana *A.M. Chinbuah, J.O. Gyapong, F. Pagnoni, E.K. Wellington and M. Gyapong*

1017 Low efficacy of the combination artesunate plus amodiaquine for uncomplicated falciparum malaria among children under 5 years in Kailahun, Sierra Leone *F. Grandesso, A. Hagerman, S. Kamara, E. Lam, F. Checchi, S. Balkan, G. Scollo, R. Durand and J.-P. Guthmann*

1022 Socio-cultural determinants of treatment delay for childhood malaria in southern Ghana *C.K. Ahorlu, K.A. Koram, C. Ahorlu, D. de Savigny and M.G. Weiss*

1032 Mapping malaria transmission in West and Central Africa *A. Gemperli, N. Sogoba, E. Fondjo, M. Mabaso, M. Bagayoko, O.J.T. Briët, D. Anderegg, J. Liebe, T. Smith and P. Vounatsou*

1047 Mapping indicators of sexually transmitted infection services in the South African public health sector *I. Kleinschmidt, A. Ramkissoon, N. Morris, Z. Mabude, B. Curtis and M. Beksinska*

1058 Cost-description of a pilot parenteral vaccination campaign against rabies in dogs in N'Djaména, Chad *U. Kayali, R. Mindekem, G. Hutton, A.G. Ndoutamia and J. Zinsstag*

1066 Cytogenetic and PCR-based identification of *S. damnosum* 'Nkusi J' as the anthropophilic blackfly in the Uluguru onchocerciasis focus in Tanzania *A. Krueger, A.K. Kalinga, A.M. Kibweja, A. Mwaikonyole and B.T.A. Maegga*

1075 Intrathecal *vs.* intramuscular administration of human antitetanus immunoglobulin or equine tetanus antitoxin in the treatment of tetanus: a meta-analysis *L. Kabura, D. Ilibagiza, J. Menten and J. Van den Ende*

1082 Reduction in the prevalence and intensity of infection in *Onchocerca volvulus* microfilariae according to ethnicity and community after 8 years of ivermectin treatment on the island of Bioko, Equatorial Guinea *J. Mas, C. Ascaso, G. Escaramis, R. Abellana, E. Duran, A. Sima, M.J. Sánchez, P.R. Nkogo, R. Nguema, M.D. Untoria, M.A. Echeverria, M.M. Ardevol and M.T. de Jiménez Anta*

1092 Chromosomal variation and genome size support existence of cryptic species of *Triatoma dimidiata* with different epidemiological importance as Chagas disease vectors *F. Panzera, I. Ferrandis, J. Ramsey, R. Ordóñez, P.M. Salazar-Schettino, M. Cabrera, M.C. Monroy, M.D. Bargues, S. Mas-Coma, J.E. O'Connor, V.M. Angulo, N. Jaramillo, C. Cordón-Rosales, D. Gómez and R. Pérez*

1104 Effects of climate and different management strategies on *Aedes aegypti* breeding sites: a longitudinal survey in Brasília (DF, Brazil) *C. Favier, N. Degallier, P.de T.R. Vilarinhos, M.de S.L. de Carvalho, M.A.C. Yoshizawa and M.B. Knox*

1119 Mortality rates in conflict zones in Karen, Karenni, and Mon states in eastern Burma *T.J. Lee, L.C. Mullany, A.K. Richards, H.K. Kuiper, C. Maung and C. Beyrer*

1128 Serotype and antimicrobial susceptibility patterns of isolates of *Streptococcus pneumoniae* causing invasive disease in The Gambia 1996–2003 *R.A. Adegbola, P.C. Hill, O. Secka, U.N. Ikumapayi, G. Lahai, B.M. Greenwood and T. Corrah*

1136 Economic costs of endemic non-filarial elephantiasis in Wolaita Zone, Ethiopia *F. Tekola, D.H. Mariam and G. Davey*

Issue 8, August 2006

1145 Editorial: Advancing the Mexico agenda for health systems research – from clinical efficacy to population health *G. van Etten, R. Baltussen, L. Bijlmakers and L. Niessen*

1147 Predictors of treatment error for children with uncomplicated malaria seen as outpatients in Blantyre district, Malawi *D.M. Osterholt, A.K. Rowe, M.J. Hamel, W.D. Flanders, C. Mkandala, L.H. Marum and N. Kaimila*

1157 An open, randomized comparison of artesunate plus mefloquine *vs.* dihydroartemisinin–piperaquine for the treatment of uncomplicated *Plasmodium falciparum* malaria in the Lao People's Democratic Republic (Laos) *M. Mayxay, V. Thongpraseuth, M. Khanthavong, N. Lindegårdh, M. Barends, S. Keola, T. Pongvongsa, S. Phompida, R. Phetsouvanh, K. Stepniewska, N.J. White and P.N. Newton*

1166 Insecticide-treated bednets for the prevention of *Plasmodium falciparum* malaria in Cambodia: a cluster-randomized trial *T. Sochantha, S. Hewitt, C. Nguon, L. Okell, N. Alexander, S. Yeung, H. Vannara, M. Rowland and D. Socheat*

1178 The effect of altitude on parasite density case definitions for malaria in northeastern Tanzania *C.I.R. Chandler, C.J. Drakeley, H. Reyburn and I. Carneiro*

1185 The financial and clinical implications of adult malaria diagnosis using microscopy in Kenya *D. Zurovac, B.A. Larson, W. Akhwale and R.W. Snow*

1195 Low larval vector survival explains unstable malaria in the western Kenya highlands *C.J.M. Koenraadt, K.P. Paaijmans, P. Schneider, A.K. Githeko and W. Takken*

1206 Gametocytocidal activity in antimalarial drugs speeds the spread of drug resistance *I.M. Hastings*

1218 Rising under-5 mortality in Africa: who bears the brunt? *T.A.J. Houweling, A.E. Kunst, K. Moser and J.P. Mackenbach*

1228 Epidemiological trends for human plague in Madagascar during the second half of the 20th century: a survey of 20 900 notified cases *R. Migliani, S. Chanteau, L. Rahalison, M. Ratsitorahina, J.P. Boutin, L. Ratsifasoamanana and J. Roux*

1238 Classifying dengue: a review of the difficulties in using the WHO case classification for dengue haemorrhagic fever *S. Bandyopadhyay, L.C.S. Lum and A. Kroeger*

1256 Operational feasibility of lot quality assurance sampling (LQAS) as a tool in routine process monitoring of filariasis control programmes *P. Vanamail, S. Subramanian, A. Srividya, R. Ravi, K. Krishnamoorthy and P.K. Das*

1264 Who needs 'pukka anthropologists'? A study of the perceptions of the use of anthropology in tropical public health research *D.A. Napolitano and C.O.H. Jones*

1276 Geographic and temporal genetic patterns of *Aedes aegypti* populations in Rio de Janeiro, Brazil *M.C.V. da Costa-Ribeiro, R. Lourenço-de-Oliveira and A.-B. Failloux*

1286 Large scale evaluation of WHO's ultrasonographic staging system of schistosomal periportal fibrosis in Ethiopia *N. Berhe, J.T. Geitung, G. Medhin and S.G. Gundersen*

1295 Relationship between haemoglobin and haematocrit in the definition of anaemia *L. Quintó, J.J. Aponte, C. Menéndez, J. Sacarlal, P. Aide, M. Espasa, I. Mandomando, C. Guinovart, E. Macete, R. Hirt, H. Urassa, M.M. Navia, R. Thompson and P.L. Alonso*

1303 Reviewing institutions of rural health centres: the Performance Initiative in Butare, Rwanda *B. Meessen, L. Musango, J.-P.I. Kashala and J. Lemlin*

1318 Mapping the environmental coverage of the INDEPTH demographic surveillance system network in rural Africa *A.J. Tatem, R.W. Snow and S.I. Hay*

1327 Thresholds for health insurance in Rwanda: who should pay how much? *J.-O. Schmidt, J.K. Mayindo and A. Kalk*

Issue 9, September 2006

1335 Editorial: Drug development for neglected diseases: a public health challenge *A. Fehr, P. Thürmann and O. Razum*

1339 Leishmaniasis, Chagas disease and Human African Trypanosomiasis revisited: *Disease Control Priorities in Developing Countries* *B.D. Nicholson, J.D. Walley and D.S. Baguley*
1341 Rehabilitation for cognitive impairments after cerebral malaria in African children: strategies and limitations *P. Bangirana, R. Idro, C.C. John and M.J. Boivin*
1350 Molecular genotyping to distinguish between recrudescents and new infections in treatment trials of *Plasmodium falciparum* malaria conducted in Sub-Saharan Africa: adjustment of parasitological outcomes and assessment of genotyping effectiveness *K. Mugittu, M. Adjuik, G. Snounou, F. Ntoumi, W. Taylor, H. Mshinda, P. Olliaro and H.-P. Beck*
1360 Surveillance of the efficacy of artesunate and mefloquine combination for the treatment of uncomplicated falciparum malaria in Cambodia *M.B. Denis, R. Tsuyuoka, Y. Poravuth, T.S. Narann, S. Seila, C. Lim, S. Incardona, P. Lim, R. Sem, D. Socheat, E.M. Christophel and P. Ringwald*
1367 Socially marketed insecticide-treated nets effectively reduce *Plasmodium* infection and anaemia among children in urban Malawi *D.P. Mathanga, C.H. Campbell, T.E. Taylor, R. Barlow and M.L. Wilson*
1375 Detection of adult *Brugia malayi* filariae by ultrasonography in humans in India and Indonesia *S. Mand, T. Supali, J. Djuardi, S. Kar, B. Ravindran and A. Hoerauf*
1382 Ultrasonography in filaria-infected rodents: detection of adult *Litomosoides sigmodontis* and *Brugia malayi* filariae *S. Mand, S. Specht, H. Zahner and A. Hoerauf*
1388 Species diversity causing human cutaneous leishmaniasis in Rio Branco, state of Acre, Brazil *A.C. Tojal da Silva, E. Cupolillo, A.C. Volpini, R. Almeida and G.A.S. Romero*
1399 Microbiological performance of a water treatment unit designed for household use in developing countries *T. Clasen, S. Nadakatti and S. Menon*
1406 Follow-up of a low cost latrine promotion programme in one district of Amhara, Ethiopia: characteristics of early adopters and non-adopters *R. O'Loughlin, G. Fentie, B. Flannery and P.M. Emerson*
1416 Pituitary–gonadal hormones and interleukin patterns in leprosy *Â.M.O. Leal, P.K.R. Magalhães, C.S. Souza and N.T. Foss*
1422 Invasive pneumococcal disease in children <5 years of age in rural Mozambique *A. Roca, B. Sigaúque, L. Quintó, I. Mandomando, X. Vallès, M. Espasa, F. Abacassamo, J. Sacarlal, E. Macete, A. Nhacolo, M. Levine and P. Alonso*
1432 Detection and subtyping of dengue 1–4 and yellow fever viruses by means of a multiplex RT-nested-PCR using degenerated primers *M.P. Sánchez-Seco, D. Rosario, L. Hernández, C. Domingo, K. Valdés, M.G. Guzmán and A. Tenorio*
1442 Factors determining client satisfaction with hospital-based perinatal care in Sri Lanka *U. Senarath, D.N. Fernando and I. Rodrigo*
1452 Implementing a comprehensive cost information system in rural health facilities: the case of Nouna health district, Burkina Faso *S. Flessa and B. Kouyaté*
1466 Sharing the burden of TB/HIV? Costs and financing of public–private partnerships for tuberculosis treatment in South Africa *E. Sinanovic and L. Kumaranayake*
1475 Interdigital skin lesions of the lower limbs among patients with lymphoedema in an area endemic for bancroftian filariasis *G. Dreyer, D. Addiss, P. Gadelha, E. Lapa, J. Williamson and A. Dreyer*
1482 Errata

Issue 10, October 2006

1483 Editorial: Clinical trials in tropical diseases: a politically incorrect view *N.J. White*
1485 A double-blind randomized controlled trial of antenatal mebendazole to reduce low birthweight in a hookworm-endemic area of Peru *R. Larocque, M. Casapia, E. Gotuzzo, J.D. MacLean, J.C. Soto, E. Rahme and T.W. Gyorkos*
1496 Hepatitis B seroprevalence in Thailand: 12 years after hepatitis B vaccine integration into the national expanded programme on immunization *V. Chongsrisawat, P. Yoocharoen, A. Theamboonlers, P. Tharmaphornpilas, P. Warinsathien, S. Sinlaparatsamee, S. Paupunwatana, K. Chaiear, S. Khwanjaipanich and Y. Poovorawan*
1503 Artesunate + amodiaquine and artesunate + sulphadoxine–pyrimethamine for treatment of uncomplicated malaria in Democratic Republic of Congo: a clinical trial with determination of sulphadoxine and pyrimethamine-resistant haplotypes *T.D. Swarthout, I.V. van den Broek, G. Kayembe, J. Montgomery, H. Pota and C. Roper*
1512 Malaria control using indoor residual spraying and larvivorous fish: a case study in Betul, central India *N. Singh, M.M. Shukla, A.K. Mishra, M.P. Singh, J.C. Paliwal and A.P. Dash*
1521 Comprehensive findings on clinical, bacteriological, histopathological and therapeutic aspects of cutaneous tuberculosis *K.C. Umapathy, R. Begum, G. Ravichandran, F. Rahman, C.N. Paramasivan and V.D. Ramanathan*

1529 Effect of month of vaccine administration on antibody responses in The Gambia and Pakistan *S.E. Moore, A.C. Collinson, A.J.C. Fulford, F. Jalil, C.-A. Siegrist, D. Goldblatt, L.Å. Hanson and A.M. Prentice*

1542 Point-of-use water treatment and diarrhoea reduction in the emergency context: an effectiveness trial in Liberia *S. Doocy and G. Burnham*

1553 Mortality rate and years of life lost from unintentional injury and suicide in South India *A. Bose, F. Konradsen, J. John, P. Suganthy, J. Muliyil and S. Abraham*

1557 Risk factors for injuries in young children in four developing countries: the Young Lives Study *L.D. Howe, S.R.A. Huttly and T. Abramsky*

1567 Finding patients eligible for antiretroviral therapy using TB services as entry point for HIV treatment *R. Bwire, N.J.D. Nagelkerke and M.W. Borgdorff*

1576 Domestic violence during pregnancy and risk of low birthweight and maternal complications: a prospective cohort study at Mulago Hospital, Uganda *D.K. Kaye, F.M. Mirembe, G. Bantebya, A. Johansson and A.M. Ekstrom*

1585 Could the Chagas disease elimination programme in Venezuela be compromised by reinvasion of houses by sylvatic *Rhodnius prolixus* bug populations? *M.J. Sanchez-Martin, M.D. Feliciangeli, D. Campbell-Lendrum and C.R. Davies*

1594 Impact of a communication programme on female genital cutting in eastern Nigeria *S. Babalola, A. Brasington, A. Agbasimalo, A. Helland, E. Nwanguma and N. Onah*

1604 Colombia and Cuba, contrasting models in Latin America's health sector reform *P.D. Vos, W.D. Ceukelaire and P. van der Stuyft*

1613 Local terminology for medicines to treat fever in Bougouni District, Mali: implications for the introduction and evaluation of malaria treatment policies *A.E. Patterson, P.J. Winch, K.E. Gilroy and S. Doumbia*

A1 Abstracts from the Uniting Streams Lustrum Symposium Global Threats: Facts and Artefacts June 1st, 2006 in Wageningen, The Netherlands

Issue 11, November 2006

1625 Editorial: The treatment of multi-drug resistant tuberculosis – a return to the pre-antibiotic era? *J.E. Ollé-Goig*

1629 Suppression of exposure to malaria vectors by an order of magnitude using microbial larvicides in rural Kenya *U. Fillinger and S.W. Lindsay*

1643 A randomised, double-blind, placebo-controlled trial of atovaquone–proguanil *vs.* sulphadoxine–pyrimethamine in the treatment of malarial anaemia in Zambian children *M. Mulenga, F. Malunga, S. Bennett, P.E. Thuma, C. Shulman, K. Fielding, A. Alloueche and B.M. Greenwood*

1653 An open label randomized comparison of mefloquine–artesunate as separate tablets *vs.* a new co-formulated combination for the treatment of uncomplicated multidrug-resistant falciparum malaria in Thailand *E.A. Ashley, K.M. Lwin, R. McGready, W.H. Simon, L. Phaiphun, S. Proux, N. Wangseang, W. Taylor, K. Stepniewska, W. Nawamaneerat, K.L. Thwai, M. Barends, W. Leowattana, P. Olliaro, P. Singhasivanon, N.J. White and F. Nosten*

1661 'To help them is to educate them': power and pedagogy in the prevention and treatment of malaria in Tanzania *C.M. Montgomery, W. Mwengee, M. Kong'ong'o and R. Pool*

1670 Community response to intermittent preventive treatment delivered to infants (IPTi) through the EPI system in Manhiça, Mozambique *R. Pool, K. Munguambe, E. Macete, P. Aide, G. Juma, P. Alonso and C. Menendez*

1679 Evaluation of the WHO Haemoglobin Colour Scale for diagnosis of anaemia in children and pregnant women as used by primary health care nurses and community health workers in western Kenya *K.A. Lindblade, K. Mwololo, A.M. van Eijk, E. Peterson, F. Odhiambo, J. Williamson and L. Slutsker*

1688 External quality assurance for the laboratory diagnosis of Buruli ulcer disease in Ghana *G. Bretzel, V. Siegmund, J. Nitschke, K.H. Herbinger, R. Thompson, E. Fleischmann, B. Fleischer and O. Adjei*

1694 Distribution of *Shigella* enterotoxin genes and secreted autotransporter toxin gene among diverse species and serotypes of *shigella* isolated from Andaman Islands, India *S. Roy, K. Thanasekaran, A.R. Dutta Roy and S.C. Sehgal*

1699 Polymerase chain reaction in comparison with serological tests for early diagnosis of human leptospirosis *C. de Abreu Fonseca, V.L.T. de Freitas, E.C. Romero, C. Spinosa, M.C.A. Sanches, M.V. da Silva and M.A. Shikanai-Yasuda*

1708 Leishmaniasis in Portugal: enzyme polymorphism of *Leishmania infantum* based on the identification of 213 strains *L. Campino, F. Pratlong, P. Abranches, J.-A. Rioux, G. Santos-Gomes, C. Alves-Pires, S. Cortes, J. Ramada, J.M. Cristovão, M.O. Afonso and J.P. Dedet*

1715 Costs of patient management of visceral leishmaniasis in Muzaffarpur, Bihar, India *F. Meheus, M. Boelaert, R. Baltussen and S. Sundar*

1725 Prevalence of multiresistant Gram-negative organisms in a surgical hospital in Ho Chi Minh Cit, Vietnam *S.L. Jones, V.K. Nguyen, T.M.P. Nguyen and E. Athan*

1731 Using knowledge, attitudes and practice (KAP) surveys on lymphatic filariasis to prepare a health promotion campaign for mass drug administration in Alor District, Indonesia *A. Krentel, P. Fischer, P. Manoempil, T. Supali, G. Servais and P. Rückert*

1741 Haematological and biochemical indices in young African children: in search of reference intervals *L. Quintó, J.J. Aponte, J. Sacarlal, M. Espasa, P. Aide, I. Mandomando, C. Guinovart, E. Macete, M.M. Navia, R. Thompson, C. Menéndez and P.L. Alonso*

1749 Effectiveness of handwashing in preventing SARS: a review *I.C.-H. Fung and S. Cairncross*

1759 Annual mass treatment with albendazole might eliminate human oesophagostomiasis from the endemic focus in northern Ghana *J.B. Ziem, A. Olsen, P. Magnussen, J. Horton, N. Spannbrucker, L. Yelifari, K. Nana Biritwum and A.M. Polderman*

1764 Impact of repeated mass treatment on human *Oesophagostomum* and hookworm infections in northern Ghana *J.B. Ziem, P. Magnussen, A. Olsen, J. Horton, V.L.L. Asigri and A.M. Polderman*

Issue 12, December 2006

1773 Editorial: A small step for WHO, a big step for cholera control *L. von Seidlein*

1775 Announcement: Continuing a tradition in cross-fertilization: The Fifth European Congress in Tropical Medicine

1777 Comparative evaluation of freeze-dried and liquid antigens in the direct agglutination test for serodiagnosis of visceral leishmaniasis (ITMA-DAT/VL) *D. Jacquet, M. Boelaert, J. Seaman, S. Rijal, S. Sundar, J. Menten and E. Magnus*

1785 *Leishmania* and sand flies: proximity to woodland as a risk factor for infection in a rural focus of visceral leishmaniasis in west central Venezuela *M. Dora Feliciangeli, O. Delgado, B. Suarez and A. Bravo*

1792 Visceral leishmaniasis in southeastern Nepal: A cross-sectional survey on *Leishmania donovani* infection and its risk factors *K. Schenkel, S. Rijal, S. Koirala, S. Koirala, V. Vanlerberghe, P. Van der Stuyft, M. Gramiccia and M. Boelaert*

1800 Efficacy of artemether–lumefantrine for the treatment of uncomplicated falciparum malaria in northwest Cambodia *M.B. Denis, R. Tsuyuoka, P. Lim, N. Lindegardh, P. Yi, S.N. Top, D. Socheat, T. Fandeur, A. Annerberg, E.M. Christophel and P. Ringwald*

1808 Amodiaquine resistance is not related to rare findings of *pfmdr1* gene amplifications in Kenya *G. Holmgren, A. Björkman and J.P. Gil*

1813 Prevalence and risk factors of intestinal parasites in Cuban children *M. Wördemann, K. Polman, L.T. Menocal Heredia, R.J. Diaz, A.-M.C. Madurga, F.A. Núñez Fernández, R.A. Cordovi Prado, A.R. Espinosa, L.P. Duran, M.B. Gorbea, L.R. Rivero and B. Gryseels*

1821 Association between intestinal parasitic infections and type of sanitation system in rural El Salvador *L.F. Corrales, R. Izurieta and C.L. Moe*

1832 Estimates of intraclass correlation coefficient and design effect for surveys and cluster randomized trials on injection use in Pakistan and developing countries *N.Z. Janjua, M.I. Khan and J.D. Clemens*

1841 Rates and causes of child mortality in an area of high HIV prevalence in rural South Africa *A. Garrib, S. Jaffar, S. Knight, D. Bradshaw and M.L. Bennish*

1849 Micronutrient interventions and HIV infection: a review of current evidence *H. Friis*

1858 Uncovering and responding to needs for sexual and reproductive health care among poor urban female adolescents in Nicaragua *L.E. Meuwissen, A.C. Gorter, Z. Segura, A.D.M. Kester and J.A. Knottnerus*

1868 Knowing a medical doctor is associated with reduced mortality among sick children consulting a paediatric ward in Guinea-Bissau, West Africa *M. Sodemann, S. Biai, M.S. Jakobsen and P. Aaby*

1878 Rift Valley fever in West Africa: the role of space in endemicity *C. Favier, K. Chalvet-Monfray, P. Sabatier, R. Lancelot, D. Fontenille and M.A. Dubois*

1889 Learning from health system reforms: lessons from Burkina Faso *S. Haddad, A. Nougtara and P. Fournier*

1898 Letters to the editors *E. Ashley, R. McGready, P. Singhasivanon, F. Nosten, V. Carrara and R. Price*

1899 Letter to the editors *S. Vijaykadga, C. Rojanawatsiriwej, F. Ariey, S.R. Meshnick and C. Wongsrichanalai*